

Author Index

Anders, R.F., see Peterson, M.G., 291

Bacchi, C.J., see Ghoda, L.Y., 109

Bacchi, C.J., see Yarlett, N., 1

Barnwell, J.W., see Howard, R.J., 207

Battistutta, D., see Saul, A., 35

Beach, D., see Gomez-Eichelmann, M.C., 143

Beck, E., see Klinkert, M.-Q., 233

Benne, R., see De Vries, B.F., 71

Bhattacharya, A., see Bhattacharya, S., 257

Bhattacharya, S., Bhattacharya, A. and Diamond, L.S.
Comparison of repeated DNA from strains of *Entamoeba histolytica* and other *Entamoeba*, 257

Board, P.G., see Smith, D.B., 249

Bradley, S., see Linstead, D.J., 125

Brakenhoff, J.P.J., see De Vries, B.F., 71

Braun-Bretón, C., see Matei, D., 171

Britto, C., see DeGrave, W., 63

Brown, G.V., see Peterson, M.G., 291

Buckwitz, D., Jacobasch, G., Gerth, C., Holzhütter, H.-G. and Thamm, R.
A kinetic model of phosphofructokinase from *Plasmodium berghei*. Influence of ATP and fructose-6-phosphate, 225

Bugledich, E.M.A., see Gero, A.M., 159

Cardoso, M.A.B., see DeGrave, W., 63

Castañeda, M., see Hernández, R., 275

Chang, K.-P., see Chaudhuri, G., 43

Chang, K.-P., see Kink, J.A., 181

Chaudhuri, G. and Chang, K.-P.
Acid protease activity of a major surface membrane glycoprotein (gp63) from *Leishmania mexicana* promastigotes, 43

Coppel, R.L., see Peterson, M.G., 291

Court, J.P., Murgatroyd, R.C., Livingstone, D. and Rahr, E.
Physicochemical characteristics of non-electrolytes and their uptake by *Brugia pahangi* and *Dipetalonema viteae*, 101

Cruz, F.S., see Docampo, R., 241

Davern, K.M., see Smith, D.B., 249

De Vries, B.F., Mulder, E., Brakenhoff, J.P.J., Sloof, P. and Benne, R.
The variable region of the *Trypanosoma brucei* kinetoplast maxicircle: sequence and transcript analysis of a repetitive and a non-repetitive fragment, 71

DeGrave, W., Fragoso, S.P., Britto, C., Van Heuverswyn, H., Kidane, G.Z., Cardoso, M.A.B., Mueller, R.U., Simpson, L. and Morel, C.M.
Peculiar sequence organization of kinetoplast DNA minicircles from *Trypanosoma cruzi*, 63

Delplace, P., see Roger, N., 135

De Ree, J.M., see Wesseling, J.G., 313

Devaney, E.
The biochemical and immunochemical characterisation of the 30 kilodalton surface antigen of *Brugia pahangi*, 83

Diamond, L.S., see Bhattacharya, S., 257

Díaz-de Léon, F., see Hernández, R., 275

Docampo, R., Moreno, S.N.J. and Cruz, F.S.
Enhancement of the cytotoxicity of crystal violet against *Trypanosoma cruzi* in the blood by ascorbate, 241

Dore, E., Pace, T., Ponzi, M., Scotti, R. and Frontali, C.
A site of intrinsic bending in a highly repeated element of *Plasmodium berghei* genome, 201

Dubremetz, J.-F., see Mattei, D., 171

Dubremetz, J.-F., see Roger, N., 135

Ellenbogen, B.B., see Ghoda, L.Y., 109

Etges, R. and Mukkada, A.J.
Purification and characterization of a metabolite-regulated pyruvate kinase from *Leishmania major* promastigotes, 281

Felleisen, R., see Klinkert, M.-Q., 233

Fortier, B., see Roger, N., 135

Fragoso, S.P., see DeGrave, W., 63

Frontali, C., see Dore, E., 201

Garofalo, J., see Ghoda, L.Y., 109

Gero, A.M., Bugledich, E.M.A., Paterson, A.R.P. and Jamieson, G.P.
Stage-specific alteration of nucleoside membrane permeability and nitrobenzylthioinosine insensitivity in *Plasmodium falciparum* infected erythrocytes, 159

Gerth, C., see Buckwitz, D., 225

Ghoda, L.Y., Savarese, T.M., Northup, C.H., Parks, Jr., R.E., Garofalo, J., Katz, L., Ellenbogen, B.B. and Bacchi, C.J.
Substrate specificities of 5'-deoxy-5'-methylthioadenosine phosphorylase from *Trypanosoma brucei brucei* and mammalian cells, 109

Gomez-Eichelmann, M.C., Holtz, Jr., G., Beach, D., Simpson, A.M. and Simpson, L.
Comparison of several lizard *Leishmania* species and strains in terms of kinetoplast minicircle and maxicircle DNA sequences, nuclear chromosomes, and membrane lipids, 143

Greenblatt, C.L., see Rosen, G., 93

Guillote, M., see Mattei, D., 171

Haley, S., see Sternberg, J., 191

Hernández, R., Díaz-de Léon, F. and Castañeda, M.
Molecular cloning and partial characterization of ribosomal RNA genes from *Trypanosoma cruzi*, 275

Holt, E.H., see Perkins, M.E., 23

Holtz, Jr., G., see Gomez-Eichelmann, M.C., 143

Holzhütter, H.-G., see Buckwitz, D., 225

Howard, R.J., Barnwell, J.W., Rock, E.P., Neequaye, J., Ofori-Adjei, D., Maloy, W.L., Lyon, J.A. and Saul, A.
Two approximately 300 kilodalton *Plasmodium falciparum* proteins at the surface membrane of infected erythrocytes, 207

Jacobasch, G., see Buckwitz, D., 225

Jaffe, C.L. and Zalis, M.

Purification of two *Leishmania donovani* membrane proteins recognized by sera from patients with visceral leishmaniasis, 53

Jamieson, G.P., see Gero, A.M., 159

Jenni, L., see Sternberg, J., 191

Katz, L., see Ghoda, L.Y., 109

Kidane, G.Z., see DeGrave, W., 63

Kink, J.A. and Chang, K.-P.

N-Glycosylation as a biochemical basis for virulence in *Leishmania mexicana amazonensis*, 181

Kemp, D.J., see Peterson, M.G., 291

Klinkert, M.-Q., Ruppel, A., Felleisen, R., Link, G. and Beck, E.

Expression of diagnostic 31/32 kilodalton proteins of *Schistosome mansoni* as fusions with bacteriophage MS2 polymerase, 233

Langford, C.J., see Peterson, M.G., 291

Langsley, G., see Mattei, D., 171

Le Page, R.W.F., see Sternberg, J., 191

Leible, M.B., see Wiser, M.F., 11

Link, G., see Klinkert, M.-Q., 233

Linstead, D.J. and Bradley, S.

The purification and properties of two soluble reduced nicotinamide:acceptor oxidoreductases from *Trichomonas vaginalis*, 125

Livingstone, D., see Court, J.P., 101

Londner, M.V., see Rosen, G., 93

Lyon, J.A., see Howard, R.J., 207

Maloy, W.L., see Howard, R.J., 207

Mattei, D., Langsley, G., Braun-Bretton, C., Guillotte, M., Dubremetz, J.-F. and Mercereau-Puijalon, O.

The S-antigen of *Plasmodium falciparum* Palo Alto represents a new S-antigen serotype, 171

McIntyre, P., see Peterson, M.G., 291

Mercereau-Puijalon, O., see Mattei, D., 171

Mitchell, G.F., see Smith, D.B., 249

Morel, C.M., see DeGrave, W., 63

Moreno, S.N.J., see Docampo, R., 241

Mueller, R.U., see DeGrave, W., 63

Mulder, E., see De Vries, B.F., 71

Murgatroyd, R.C., see Court, J.P., 101

Neequaye, J., see Howard, R.J., 207

Northup, C.H., see Ghoda, L.Y., 109

O'Sullivan, W.J., see Prapunwattana, P., 119

Ofori-Adjei, D., see Howard, R.J., 207

Pace, T., see Dore, E., 201

Parks, Jr., R.E., see Ghoda, L.Y., 109

Paterson, A.R.P., see Gero, A.M., 159

Perkins, M.E. and Holt, E.H.

Erythrocyte receptor recognition varies in *Plasmodium falciparum* isolates, 23

Peterson, M.G., Coppel, R.L., McIntyre, P., Langford, C.J., Woodrow, G., Brown, G.V., Anders, R.F. and Kemp, D.J.

Variation in the precursor to the major merozoite surface antigens of *Plasmodium falciparum*, 291

Plitt, B., see Wiser, M.F., 11

Ponnudurai, T., see Wesseling, J.G., 313

Ponzi, M., see Dore, E., 201

Prapunwattana, P., O'Sullivan, W.J. and Yuthavong, Y.

Depression of *Plasmodium falciparum* dihydroorotate dehydrogenase activity in vitro culture by tetracycline, 119

Rahr, E., see Court, J.P., 101

Rock, E.P., see Howard, R.J., 207

Roger, N., Dubremetz, J.-F., Delplace, P., Fortier, B., Tronchin, G. and Verne, A.

Characterization of a 225 kilodalton rhoptry protein of *Plasmodium falciparum*, 135

Rosen, G., Londner, M.V., Selever, D. and Greenblatt, C.L.

Leishmania major: Glycolipid antigens recognized by immune human sera, 93

Rubira, M.R., see Smith, D.B., 249

Ruppel, A., see Klinkert, M.-Q., 233

Saul, A. and Battistutta, D.

Codon usage in *Plasmodium falciparum*, 35

Saul, A., see Howard, R.J., 207

Savarese, T.M., see Ghoda, L.Y., 109

Schoenmakers, J.G.G., see Wesseling, J.G., 313

Schweizer, J., see Sternberg, J., 191

Scotti, R., see Dore, E., 201

Selever, D., see Rosen, G., 93

Shippen-Lenz, D.E. and Veza, A.C.

The three 5S rRNA genes from the human malaria parasite *Plasmodium falciparum* are linked, 263

Simpson, A.M., see Gomez-Eichelmann, M.C., 143

Simpson, L., see DeGrave, W., 63

Simpson, L., see Gomez-Eichelmann, M.C., 143

Simpson, R.J., see Smith, D.B., 249

Sloof, P., see De Vries, B.F., 71

Smith, D.B., Rubira, M.R., Simpson, R.J., Davern, K.M., Tiu, W.U., Board, P.G. and Mitchell, G.F.

Expression of an enzymatically active parasite molecule in *Escherichia coli*: *Schistosoma japonicum* glutathione S-transferase, 249

Smith, M.A., see Snary, D., 303

Smits, M.A., see Wesseling, J.G., 313

Snary, D. and Smith, M.A.

Sequence homology of surface membrane proteins of *Babesia rodhaini*, 303

Sternberg, J., Tait, A., Haley, S., Wells, J.M., Le Page, R.W.F., Schweizer, J. and Jenni, L.

Gene exchange in African trypanosomes: characterisation of a new hybrid genotype, 191

Tait, A., see Sternberg, J., 191

Thamm, R., see Buckwitz, D., 225

Tiu, W.U., see Smith, D.B., 249

Tronchin, G., see Roger, N., 135

Van Heuverswyn, H., see DeGrave, W., 63
Vernes, A., see Roger, N., 135
Vezza, A.C., see Shippen-Lenz, D.E., 263

Wells, J.M., see Sternberg, J., 191
Wesseling, J.G., de Ree, J.M., Ponnudurai, T., Smits, M.A. and Schoenmakers, J.G.G.
Nucleotide sequence and deduced amino acid sequence of a *Plasmodium falciparum* actin gene, 313
Wiser, M.F., Leible, M.B. and Plitt, B.
Acidic phosphoproteins associated with the host erythro-

cyte membrane of erythrocytes infected with *Plasmodium berghei* and *P. chabaudi*, 11
Woodrow, G., see Peterson, M.G., 291

Yarlett, N. and Bacchi, C.J.
Effect of DL- α -difluoromethylornithine on methionine cycle intermediates in *Trypanosoma brucei brucei*, 1
Yuthavong, Y., see Prapunwattana, P., 119

Zalis, M., see Jaffe, C.L., 53

Subject Index

N-Acetylglucosamine-*l*-phosphate transferase, 181
 Acid protease, 43
 Actin, 313
S-Adenosyl-*l*-methionine, 1
 Allosteric activation, 281
S-Antigen, 171
 Antigenic variability, 291
 Ascorbyl radical, 241
 ATP inhibition, 225

Babesia rodhaini, 303
 Bent helix, 201
Brugia pahangi, 82, 101

 Chemotherapy, 159
 Chromosome, 143
 Codon usage, 35, 313
 Complement C3 degradation, 43
 Cooperative activation, 281
Crithidia, 281
 Crystal violet, 241
 Cutaneous leishmaniasis, 93
 Cytoadherence, 207

 DL- α -Difluoromethylornithine, 1
 Dihydroorotate dehydrogenase, 119
Dipeuilonema viteae, 101
 Divergent maxicircle region, 71
 cDNA cloning, 303
 DNA sequences, 35
 Drug design, 101

 Electroblotting, 249
 ELISA, 233
Entamoeba histolytica, 257
Entamoeba, 157
 Enzyme properties, 125
 Enzyme purification, 125
 Epicuticle, 83
 Erythrocyte membrane, 11
 Erythrocyte receptor, 23
 Erythrocyte surface, 207
 Expression in *Escherichia coli*, 233

 Filariae, 101

 Gene duplication, 303
 Gene linkage, 263
 Genetic exchange, 191
 Glutathione *S*-transferase, 249
 Glycolipid antigens, 93
 Glycoprotein, 181

 Homology, 313
 Hybrid phenotype and genotype, 191
 Hydrogen peroxide, 241

 Immunodiagnosis, 53
 Interspecies comparison, 313
 In vitro release, 83
 Isolate variation, 23

 Kinetic model, 225
 Kinetoplast DNA, 71
 Kinetoplast DNA sequence, 63

Leishmania, 181, 281
Leishmania donovani, 53
Leishmania major, 93
Leishmania mexicana amazonensis, 43
Leishmania tarentolae, 143
 Lipid, 143
 Lizard, 143

 Macrophage, 181
 Malaria, 171
 Malarial antigen, 207
 $[^3\text{H}]$ Mannose, 181
 Maxicircle DNA, 143
 Membrane cytoskeleton, 11
 Membrane protein purification, 53
 Merozoite, 135
 Merozoite surface, 291
 Metabolic labelling, 83
 $5'$ -Methylthioadenosine metabolism, 109
 $5'$ -Methylthioadenosine phosphorylate, 109
 Minicircle DNA, 63, 143
 Mitochondrial genes, 71
 Monoclonal antibody, 135, 207
 Monod model, 225
MS2-S. mansoni fusion proteins, 233

 Nitrobenzylthioinosine, 159
 Non-electrolyte uptake, 101
 Nuclear DNA content, 191
 Nucleoside uptake, 159

 Oxygen tolerance, 125

 Parasite enzyme, 249
 Patient sera, 53
 pH, 225
 Phosphofructokinase, 225
 Phosphoprotein, 11
 Physicochemical parameter, 101
 Plasmid molecular cloning, 275
Plasmodium berghei, 11, 225
Plasmodium berghei DNA, 201
Plasmodium chabaudi, 11
Plasmodium falciparum, 23, 35, 119, 135, 159, 171, 207, 263, 291, 313
 Polypeptide, 30 kDa, 83
 Protein expression in *Escherichia coli*, 249

Protein sequence analysis, 249
Purine nucleoside hydrolase, 109
Pyruvate kinase, 281

Reduced nicotinamide oxidoreductases, 125
Repetitive DNA, 71, 257
Repetitive family, 201
Restriction mapping, 275
Rhoptry, 135
Ribosomal DNA, 257
5S rRNA, 263

Schistosomiasis, 249
Schizont, 135
Sequence homology, 303
Superoxide anion, 241
Surface antigen, 83
Surface glycoprotein, 43

Surface membrane, 303

Taxonomy, 257
Tetracycline, 119
Thin layer chromatography, 93
Transmethylation, 1
Trichomonas vaginalis, 125
Trypanosoma, 281
Trypanosoma brucei, 191
Trypanosoma brucei brucei, 1, 109
Trypanosoma cruzi, 63, 241
Trypanosoma cruzi rDNA, 275
Trypanosomes, 71
Tubercidin, 159
Tunicamycin, 181

Virulence, 43, 181

Contents of Volume 27

Number 1, January 1, 1988

Effect of DL- α -difluoromethylornithine on methionine cycle intermediates in <i>Trypanosoma brucei brucei</i> (MBP 00891)	1
N. Yarlett and C.J. Bacchi (U.S.A.)	
Acidic phosphoproteins associated with the host erythrocyte membrane of erythrocytes infected with <i>Plasmodium berghei</i> and <i>P. chabaudi</i> (MBP 00892)	11
M.F. Wiser, M.B. Leible and B. Plitt (F.R.G.)	
Erythrocyte receptor recognition varies in <i>Plasmodium falciparum</i> isolates (MBP 00893)	23
M.E. Perkins and E.H. Holt (U.S.A.)	
Codon usage in <i>Plasmodium falciparum</i> (MBP 00897)	35
A. Saul and D. Battistutta (Australia)	
Acid protease activity of a major surface membrane glycoprotein (gp63) from <i>Leishmania mexicana</i> promastigotes (MBP 00898)	43
G. Chaudhuri and K.-P. Chang (U.S.A.)	
Purification of two <i>Leishmania donovani</i> membrane proteins recognized by sera from patients with visceral leishmaniasis (MBP 00899)	53
C.L. Jaffe and M. Zalis (Israel)	
Peculiar sequence organization of kinetoplast DNA minicircles from <i>Trypanosoma cruzi</i> (MBP 00900)	63
W. Degrade, S.P. Fragoso, C. Britto, H. van Heuverswyn, G.Z. Kidane, M.A.B. Cardoso, R.U. Mueller, L. Simpeon and C.M. Morel (Brazil, U.S.A.)	
The variable region of the <i>Trypanosoma brucei</i> kinetoplast maxicircle: sequence and transcript analysis of a repetitive and a non-repetitive fragment (MBP 00894)	71
B.F. de Vries, E. Mulder, J.P.J. Brakenhoff, P. Sloof and R. Benne (The Netherlands)	
The biochemical and immunochemical characterisation of the 30 kilodalton surface antigen of <i>Brugia pahangi</i> (MBP 00895)	83
E. Devaney (U.K.)	
<i>Leishmania major</i> : glycolipid antigens recognized by immune human sera (MBP 00896)	93
G. Rosen, M.V. Londner, D. Sevlever and C.L. Greenblatt (Israel)	

Numbers 2-3, January 15, 1988

Physicochemical characteristics of non-electrolytes and their uptake by <i>Brugia pahangi</i> and <i>Dipetalonema viteae</i> (MBP 00901)	101
J.P. Court, R.C. Murgatroyd, D. Livingstone and E. Rahr (U.K.)	
Substrate specificities of 5'-deoxy-5'-methylthioadenosine phosphorylase from <i>Trypanosoma brucei brucei</i> and mammalian cells (MBP 00907)	109
L.Y. Ghoda, T.M. Savarese, C.H. Northup, R.E. Parks, Jr., J. Garofalo, L. Katz, B.B. Ellenbogen and C.J. Bacchi (U.S.A.)	
Depression of <i>Plasmodium falciparum</i> dihydroorotate dehydrogenase activity in vitro culture by tetracycline (MBP 00903)	119
P. Prapunwattana, W.J. O'Sullivan and Y. Yuthavong (Thailand and Australia)	
The purification and properties of two soluble reduced nicotinamide:acceptor oxidoreductases from <i>Trichomonas vaginalis</i> (MBP 00905)	125
D.J. Linstead and S. Bradley (U.K.)	
Characterization of a 225 kilodalton rhoptry protein of <i>Plasmodium falciparum</i> (MBP 00904)	135
N. Roger, J.-F. Dubremetz, P. Delplace, B. Fortier, G. Tronchin and A. Vernes (France)	
Comparison of several lizard <i>Leishmania</i> species and strains in terms of kinetoplast minicircle and maxicircle DNA sequences, nuclear chromosomes, and membrane lipids (MBP 00906)	143
M.C. Gomez-Eichelmann, G. Holtz, Jr., D. Beach, A.M. Simpson and L. Simpson (U.S.A.)	
Stage-specific alteration of nucleoside membrane permeability and nitrobenzylthioinosine insensitivity in <i>Plasmodium falciparum</i> infected erythrocytes (MBP 00911)	159
A.M. Gero, E.M.A. Bugledich, A.R.P. Paterson and G.P. Jamieson (Australia and Canada)	

The S-antigen of <i>Plasmodium falciparum</i> Palo Alto represents a new S-antigen serotype (MBP 00909)	171
D. Mattei, G. Langsley, C. Braun-Bretton, M. Guillotte, J.-F. Dubremetz and O. Mercereau-Puijalon (France)	
<i>N</i> -Glycosylation as a biochemical basis for virulence in <i>Leishmania mexicana amazonensis</i> (MBP 00908)	181
J.A. Kink and K.-P. Chang (U.S.A.)	
Gene exchange in African trypanosomes: characterisation of a new hybrid genotype (MBP 00910)	191
J. Sternberg, A. Tait, S. Haley, J.M. Wells, R.W.F. Le Page, J. Schweizer and L. Jenni (U.K. and Switzerland)	
A site of intrinsic bending in a highly repeated element of <i>Plasmodium berghei</i> genome (MBP 00912)	201
E. Dore, T. Pace, M. Ponzi, R. Scotti and C. Frontali (Italy)	
Two approximately 300 kilodalton <i>Plasmodium falciparum</i> proteins at the surface membrane of infected erythrocytes (MBP 00914)	207
R.J. Howard, J.W. Barnwell, E.P. Rock, J. Neequaye, D. Ofori-Adjei, W.L. Maloy, J.A. Lyon and A. Saul (U.S.A. and Ghana)	
A kinetic model of phosphofructokinase from <i>Plasmodium berghei</i> . Influence of ATP and fructose-6-phosphate (MBP 00915)	225
D. Buckwitz, G. Jacobasch, C. Gerth, H.-G. Holzhütter and R. Thamm (G.D.R.)	
Expression of diagnostic 31/32 kilodalton proteins of <i>Schistosoma mansoni</i> as fusions with bacteriophage MS2 polymerase (MBP 00917)	233
L.-Q. Klinkert, A. Ruppel, R. Felleisen, G. Link and E. Beck (F.R.G.)	
Enhancement of the cytotoxicity of crystal violet against <i>Trypanosoma cruzi</i> in the blood by ascorbate (MBP 00916)	241
R. Docampo, S.N.J. Moreno and F.S. Cruz (Brazil)	
Expression of an enzymatically active parasite molecule in <i>Escherichia coli</i> : <i>Schistosoma japonicum</i> glutathione S-transferase (MBP 00918)	249
D.B. Smith, M.R. Rubira, R.J. Simpson, K.M. Davern, W.U. Tiu, P.G. Board and G.F. Mitchell (Australia)	
Comparison of repeated DNA from strains of <i>Entamoeba histolytica</i> and other <i>Entamoeba</i> (MBP 00919)	257
S. Bhattacharya, A. Bhattacharya and L.S. Diamond (U.S.A.)	
The three 5S rRNA genes from the human malaria parasite <i>Plasmodium falciparum</i> are linked (MBP 00920)	263
D.E. Shipp-Lentz and A.C. Vezza (U.S.A.)	
Molecular cloning and partial characterization of ribosomal RNA genes from <i>Trypanosoma cruzi</i> (MBP 00921)	275
R. Hernández, F. Díaz-de Léon and M. Castañeda (Mexico)	
Purification and characterization of a metabolite-regulated pyruvate kinase from <i>Leishmania major</i> promastigotes (MBP 00913)	281
R. Etges and A.J. Mukkada (U.S.A.)	
Variation in the precursor to the major merozoite surface antigens of <i>Plasmodium falciparum</i> (MBP 00929)	291
M.G. Peterson, R.L. Coppel, P. McIntyre, C.J. Langford, G. Woodrow, G.V. Brown, R.F. Anders and D.J. Kemp (Australia)	
Sequence homology of surface membrane proteins of <i>Babesia rodhaini</i> (MBP 00933)	303
D. Snary and M.A. Smith (Beckenham, U.K.)	
Nucleotide sequence and deduced amino acid sequence of a <i>Plasmodium falciparum</i> actin gene (MBP 00935)	313
J.G. Wesseling, J.M. de Ree, T. Ponnudurai, M.A. Smits and J.G.G. Schoenmakers (The Netherlands)	

Contents continued from back cover:

Variation in the precursor to the major merozoite surface antigens of <i>Plasmodium falciparum</i> (MBP 00929) M.G. Peterson, R.L. Coppel, P. McIntyre, C.J. Langford, G. Woodrow, G.V. Brown, R.F. Anders and D.J. Kemp (Australia)	291
Sequence homology of surface membrane proteins of <i>Babesia rodhaini</i> (MBP 00933) D. Snary and M.A. Smith (Beckenham, U.K.)	303
Nucleotide sequence and deduced amino acid sequence of a <i>Plasmodium falciparum</i> actin gene (MBP 00935) J.G. Wesseling, J.M. de Ree, T. Ponnudurai, M.A. Smits and J.G.G. Schoenmakers (The Netherlands)	313
Author Index	321
Subject Index	324
Contents of Volume 27	326

